

U.S. ARMY MEDICAL LIBRARY
Reference Division

LOWER NEPHRON NEPHROSIS

Selected references in English,
French and German, 1940-1950)
Compiled by

Marjory C. Spencer

Washington, D. C.
1 February 1952

ARMED FORCES MEDICAL LIBRARY
WASHINGTON, D. C.

ARMED FORCES MEDICAL LIBRARY

DEPT. OF THE ARMY
HEADQUARTERS
WASHINGTON, D. C.

ARMED FORCES MEDICAL LIBRARY

Arch.

ZWJ

340

9U56L

1952

C. 3

ARMED FORCES MEDICAL LIBRARY
WASHINGTON, D. C.

ARMED FORCES MEDICAL LIBRARY
WASHINGTON, D. C.

LOWER NEPHRON NEPHROSIS

The few annotations were intended to direct the original user of the list to material of specific interest to him.

1. Abbott, W. E. and Shea, P. The treatment of temporary renal insufficiency (uremia) by peritoneal lavage. *Am. J. M. Sc.*, 1946, 211: 312-319. (Authors state that patients suffering from a toxic nephrosis or patients anuric following a hemolytic transfusion reaction or a crushing injury might be good candidates for such therapy.)
2. Abernethy, A. C., Wilets, A. J. and Beer, D. C. Lower nephron nephrosis; report of two cases treated with intravenous procaine. *U. S. Armed Forces M. J.*, 1950, 1: 296-308. (Report of 2 cases and review of the literature.)
3. Almeyda, J. Crush-syndrome. *Gen Pract. Australia*. 1943, 14: 226-228.
4. Anderson, W. A. D. Renal lesions associated with hemoglobinemias and traumatic anuria. *Urol. Cut. Rev.*, 1943, 47: 139-142.
5. Anderson, W. A. D. and Morrison, D. B. Pathologic changes following injections of ferrihemate (hematin) in dogs. *Arch. Path.*, 1942, 33: 589-602. ("Ferrihemate when injected into dogs is capable of producing acute and chronic changes in the kidneys, the reticuloendothelial system and vascular system.")
6. Angevine, D. M. Hemoglobinuric nephrosis. *Wisconsin M. J.*, 1946, 45: 1143-1146. (In the European Theater of Operations, the author and Harmon, "found renal lesions in 5 per cent of 3,223 routine autopsies, whereas in 1,065 cases dying as the result of enemy action, the incidence of hemoglobinuric nephrosis was 15.2 per cent. This indicates a significantly higher incidence in the battle casualty group." In 80 cases analyzed at Wisconsin General Hospital, "Blood transfusion accounted for the lesion in approximately 8 per cent...").
7. Atcheson, D. W. Crush injury syndrome following prolonged tourniquet action. *J. Urol.*, Balt., 1946, 56: 68-77.
8. Atkins, H. T. and Grace, R. (Hemoglobinuric nephrosis.) *Christ Hosp. M. Bull.*, Cincin., 1949-1950, 3: 36-41.
9. Ayer, G. D. and Gauld, A. G. Uremia following blood transfusion; nature and significance of renal changes. *Arch. Path.*, Chic., 1942, 33: 513-532.

1. The first part of the document is a letter from the President of the United States to the Congress, dated January 3, 1862. It contains a report on the state of the Union and the progress of the war.

2. The second part of the document is a report from the Secretary of the Treasury, dated January 10, 1862. It contains a report on the state of the Treasury and the progress of the war.

3. The third part of the document is a report from the Secretary of the Interior, dated January 10, 1862. It contains a report on the state of the Interior and the progress of the war.

4. The fourth part of the document is a report from the Secretary of the Navy, dated January 10, 1862. It contains a report on the state of the Navy and the progress of the war.

5. The fifth part of the document is a report from the Secretary of the War, dated January 10, 1862. It contains a report on the state of the War and the progress of the war.

6. The sixth part of the document is a report from the Secretary of the State, dated January 10, 1862. It contains a report on the state of the State and the progress of the war.

7. The seventh part of the document is a report from the Secretary of the War, dated January 10, 1862. It contains a report on the state of the War and the progress of the war.

8. The eighth part of the document is a report from the Secretary of the Navy, dated January 10, 1862. It contains a report on the state of the Navy and the progress of the war.

9. The ninth part of the document is a report from the Secretary of the State, dated January 10, 1862. It contains a report on the state of the State and the progress of the war.

10. Baillargeon, B. Syndrome d'écrasement chez un traumatisé du thorax. Union méd., Canada, 1947, 76: 1302-1305.
11. Baird, S. S. and Spence, H. M. Lower nephron nephrosis, a complication of trans-urethral prostatic resection. Urol. Cut. Rev., 1947, 51: 642-645.
12. Barroux, R. et Ducassou, J. Données physiologiques sur les néphrites de la transfusion. Presse méd., 1946, 54: 547-548.
13. Beall, D., Bywaters, E. G. L., Belsey, R. H. R. and Miles, J. A. R. A case of crush injury with renal failure. Brit. M. J., 1941, 1: 432-434.
14. Bell, E. T. and Knutson, R. C. Extrarenal azotemia and tubular disease. J. Am. M. Ass., 1947, 134: 441-446.
15. Bergstrand, H. A comparison between the kidney changes in the case of crush syndrome and renal injuries caused by sulphathiazole. Acta med. scand., 1946, 124: 309-313. (In English).
16. Berry, N. E. Anuria following blood transfusion; report of two cases. J. Urol., Balt., 1947, 58: 239-243. ("Both had decapsulation of 1 kidney, 1 recovered and 1 died").
17. Bing, R. J. Etiology of renal failure following crush injuries. Proc. Soc. Exp. Biol., N. Y., 1943, 53: 29-30. (Experimental study.)
18. Bing, R. J. The effect of hemoglobin and related pigments on renal functions of the normal and acidotic dog. Bull. Johns Hopkins Hosp., 1944, 74: 161-176. (Methemoglobin infusion in acidotic dogs was followed by renal failure. "Mechanism of the methemoglobin anuria and its relation to the etiology of renal failure following blackwater fever, crush injuries and hemoglobin transfusions is discussed.")
19. Birnbaum, W. Crushing injuries with renal failure. California West. M., 1946, 64: 15-18.
20. Black, R. H. Resorption of haemoglobin by renal tubules in haemoglobinuria. Ann. Trop. M. Parasit., Liverp., 1948, 42: 90-94.
21. Blalock, A., and Duncan, G. W. Traumatic shock, consideration of several types of injury. Surg. Gyn. Obst., 1942, 75: 401-409.
22. Bock, A. V., Brockhurst, R. and others. Lower nephron nephrosis, Am. Practitioner, 1947-1948, 2: 344-348. (Complication of sulfonamide therapy.)

23. Bradford, H. A. and Shaffer, J. H. Renal changes in a case of sulfadiazine anuria. J. Am. M. Ass., 1942, 316-318.
24. Bradley, E. J. Crush injury with renal failure: recovery. Brit. M. J., 1942, 1: 294.
25. Bratton, A. B. Anuria with casts not associated with transfusion. Lancet., Lond., 1941, 1: 345-346.
26. Brulé, M. and Pestel, M. Intoxication par les fèves et hémoglobinurie. Presse med., 1943, 51: 241-242.
27. Bueermann, W. H. Crush injuries and the crush syndrome. Northwest M., 1943, 42: 109-110.
28. Burch, G. E. and Ray, C. T. Lower nephron syndrome. Ann. Int. M., 1949, 31: 750-772.
29. Burnett, C. H. The clinical and therapeutic aspects of acute renal insufficiency due to lower nephron or hemoglobinuric nephrosis. Am. Practitioner, 1947-1948, 2: 6-10.
30. Burnett, C. H. Lower nephron nephrosis. Bull. N. England M. Center, 1947, 2: 193-198.
31. Burnett, C. H., Shapiro, S. L. and others. Post-traumatic renal insufficiency. Surgery, 1947, 22: 994-1028.
32. Burt, R. L., Lock, F. R., Donnelly, J. F. and Wolff, W. A. Conservative therapy in lower nephron nephrosis; report of 2 cases with survival. Am. J. Obst., 1950, 60: 820-826.
33. Burwell, E. L., Kinney, T. D. and Finch, C. A. Renal damage following intravascular hemolysis. N. England J. M., 1947, 237: 657-665. (Presentation of a case of hemoglobinuric nephrosis. Pathogenesis and therapy are discussed. "The mortality rate for hemoglobinuric nephrosis cannot be accurately calculated from the published cases, since a greater proportion of fatal than non-fatal cases have undoubtedly been reported.")
34. Butt, A. J. and Birchall, R. Prevention and treatment of oliguria and anuria due to sulfonamides. J. Florida M. Ass., 1949-1950, 36: 360-366.
35. Bywaters, E. G. L. Ischaemic muscle necrosis ("crush syndrome"). Brit. M. Bull., 1945, 3: 107-110.
36. Bywaters, E. G. L. Ischaemic muscle necrosis; crushing injury, traumatic edema, crush syndrome; type of injury seen in air raid casualties following burial beneath debris. J. Am. M. Ass., 1944, 124: 1103-1109.
37. Bywaters, E. G. L. Renal anoxia. Lancet, Lond., 1948, 1: 301.

38. Bywaters, E. G. L. and Beall, D. Crush injuries with impairment of renal function. Brit. M. J., 1941, 1: 426-432. (Study of four fatal cases of crush injury observed among air raid casualties. Three of the patients received blood transfusions.)
39. Bywaters, E. G. L. and Dible, J. H. The renal lesion in traumatic anuria. J. Path. Bact., Lond., 1942, 54: 111-120, 7 pl. ("A detailed description, based on material from 22 cases, is given of the changes seen in the kidneys after death from crushing injury").
40. Bywaters, E. G. L. War medicine series; crushing injury. Brit. M. J., 1942, 2: 643-646.
41. Bywaters, E. G. L. and Dible, J. H. Acute paralytic myohaemoglobinuria in man. J. Path. Bact., Lond., 1943, 55: 7-15.
42. Bywaters, E. G. L. and others. Discussion on the effects on the kidney of trauma to parts other than the urinary tract, including crush syndrome. Proc. Roy. Soc. M., Lond., 1941-1942, 35: 321-339.
43. Bywaters, E. G. L., Crooke, A. C. and Morris, C. J. O. R. Limb compression in the tube shelter disaster. Lancet, Lond., 1943, 2: 373-379. (The course of the cases presented here "was similar to that of the 'crush syndrome'--ischaemic muscle necrosis following burial beneath debris as the result of aerial bombardment--but less severe perhaps because of the short time of compression ($1\frac{1}{2}$ - $2\frac{1}{2}$ hours").
44. Bywaters, E. G. L., Delory, G. E., Rimington, C. and Smiles, J. Myohaemoglobin in urine of air raid casualties with crushing injury. Biochem. J. Lond., 1941, 35: 1164-1168.
45. Caplan, A. and Dunkerley, G. E. Traumatic anuria in miner. Lancet, Lond., 1945, 1: 147-148.
46. Carson, J. and Smith, G. S. Sulphapyridine anuria; a fatal case. Lancet, Lond., 1942, 2: 359-360.
47. Chapin, M. A. Isopropyl alcohol poisoning with acute renal insufficiency. J. Maine M. Ass., 1949, 40: 288-290. ("The development of acute renal insufficiency ("lower nephron nephrosis") as a complication of isopropyl alcohol poisoning is described.")
48. Chiari, H. Die pathologische Anatomie der Kriegsverschüttung. Schweiz. med. Wschr., 1949, 79: 946.
49. Cincinnati General Hospital. Case records. Case 145038. (Severe toxic nephrosis). Dis. Nerv. Syst., 1944, 5: 372-377.
50. Clark, J. K., Barker, H. C., Crosley, A. P., Jr. Evidence against renal vascular shunts in a case of lower nephron

51. Clinical pathologic conference; bronchiectasis; amyloidosis; thyroiditis with lower nephron nephrosis. J. Missouri M. Ass., 1950, 47: 609-611.
52. Cohen, S. M. Crush injuries (Letter to Editor). Brit. M. J., 1941, 1: 570.
53. Collins, C. L. The crush syndrome. Permanente Found. M. Bull., 1943-1944, 2: 121-125.
54. Corcoran, A. C. and Page, I. H. Crush syndrome: post-traumatic anuria. J. Am. M. Ass., 1947, 134: 436-441.
55. Corcoran, A. C. and Page, I. H. Renal damage from ferroheme pigments, myoglobin, hemoglobin, hematin. Texas Rep. Biol. M., 1945, 3: 528-544.
56. Corcoran, A. C. and Page, I. H. Genesis of crush syndrome. J. Laborat. Clin. M., 1945, 30: 351-352.
57. Corcoran, A. C. and Page, I. H. Post-traumatic renal injury; summary of experimental observations. Arch. Surg., 1945, 51: 93-101.
58. Corcoran, A. C., Taylor, R. D. and Page, I. H. Acute toxic nephrosis; a clinical and laboratory study based on a case of carbon tetrachloride poisoning. J. Am. M. Ass., 1943, 123: 81-85.
59. Creevy, C. D., Webb, E. A. A fatal hemolytic reaction following transurethral resection of the prostate gland. Surgery, 1947, 21: 56-66.
60. Crush injury and kidney function. (Editorial). Brit. M. J., 1941, 1: 445.
61. Culpepper, W. S., and Findley, T. Renal decapsulation for oliguria and anuria. Am. J. M. Sc., 1947, 214: 100-108.
62. Cutter, R. L. Lower nephron nephrosis. Northwest M., 1950, 49: 526-529.
63. Daniels, W. B., Leonard, B. W. and Holtzman, S. Renal insufficiency following transfusion, report of thirteen cases. J. Am. M. Ass., 1941, 116: 1208-1215. (Seven of the 13 cases were fatal. Pathologic changes in the kidneys are discussed.)
64. Dardinski, V. J. The pathology of anuria in an Rh-negative patient. Am. J. Clin. Path., 1945, 15: 286-288.

65. Darmady, E. M., Siddons, A. H. M., Corson, T. C., Langton, C. D., Vitek, Z., Badenoch, A. W. and Scott, J. C. Traumatic uraemia. *Lancet*, Lond., 1944, 2: 809-812. (Report of 8 cases of uraemia following injuries caused by high explosives, 6 of which were fatal. They were observed while treating 2000 selected casualties from Northern France in a transit air evacuation hospital. The fatal cases represented a third of the deaths in the hospital. In none was there a crushing injury. Sulphanilamide was given by mouth in 5 cases. All cases were transfused with group-O blood. There was no clinical evidence of mismatched transfusion at the time. Kidneys of 4 of the fatal cases resemble those described in crush syndrome.)
66. Daugherty, G. W. and Odel, H. M. Acute renal insufficiency: conservative management. *Proc. Mayo Clin.*, 1949, 24: 557-561.
67. Dausset, J. Lower nephron nephrosis; report of treatment of 44 patients by repeated replacement transfusions. *Arch. Int. M.*, 1950, 85: 416-431.
68. Déjon, M. L. A propos du syndrome de Bywaters et des observations faites chez les ensevelis au cours des bombardements de Marseille. *Bull. Soc. chir. Marseille*, 1945, 18: 116-121.
69. de Navasquez, S. Excretion of haemoglobin, with special reference to "transfusion" kidney. *J. Path. Bact.*, Lond., 1940, 51: 413-425. (Study of 3 fatal cases of transfusion kidney, together with experimental investigations).
70. Dérot, M. and Canivet, J. Le syndrome de Bywaters. *Paris méd.*, 1947, 37: 273-279.
71. de Scoville, A. Les syndromes d'ecrasement (crush syndrome). *Rev. méd. Liege*, 1947, 2: 235-239.
72. Dieckmann, W. J. and Kramer, S. The treatment of oliguria and anuria. *J. Obst. Gyn.*, 1940, 40: 61-69. (Includes incidence of blood transfusion mortality).
73. Douglas, J. W. B. Incidence of signs of renal injury following prolonged burial under debris in an unselected series of 764 air raid casualties admitted to hospital. *Brit. J. Urol.*, 1945, 17: 142-147. (These 764 casualties represent the total number admitted to hospital in twelve raids on six towns. The author feels that the data which is presented in this report "forms a fair sample on which to make an estimate of the importance of 'crush syndrome' in relation to other air raid injuries.")
74. Duncan, G. G. Tubular nephrosis; clinical considerations. *North Carolina M. J.*, 1948, 2: 242-247.

75. Dunn, J. S., Gillespie, M. and Niven, J. S. F. Renal lesions in two cases of crush syndrome. *Lancet*, Lond., 1941, 2: 549-552.
76. Effects on kidney of limb compression. (Discussion at Meeting of Section of Surgery of Royal Society of Medicine). *Brit. M. J.*, 1941, 2: 884-885.
77. Eggleton, M. G., Richardson, K. C., Schild, H. O., and Winton, F. R. Renal damage due to crush injury and ischaemia of limbs of anaesthetized dog. *Q. J. Exp. Physiol.*, Lond., 1943, 32: 89-106.
78. Eggleton, M. G. Crush kidney syndrome in the cat. *Lancet*, Lond., 1944, 2: 208-210.
79. Eggleton, M. G., Richardson, K. C., Schild, H. O. and Winton, F. R. Renal impairment due to crushing limbs in anaesthetized dogs. *Brit. M. J.*, 1942, 2: 392-393.
80. Enger, R. and Wendel, H. Nierenschädigung nach Sulfapyridinanwendung. (Mit einem Beitrag zur Anuriebehandlung. *Münch. med. Wschr.*, 1942, 89: 196-198.
81. Erb, I. H., Morgan, E. M., and Farmer, A. W. Pathology of burns, pathologic picture as revealed at autopsy in series of 61 fatal cases treated at Hospital for Sick Children, Toronto, Canada, *Ann. Surg.*, 1943, 117: 234-255. (Includes renal lesions).
82. Fairley, N. H. Fate of extracorpuscular circulating haemoglobin. *Brit. M. J.*, 1940, 2: 213-217.
83. Farrier, R. and Smith, R. H. Carbon tetrachloride nephrosis. *J. Am. M. Ass.*, 1950, 143: 965-967.
84. Fine, J., Frank, H. A. and Seligman, A. M. Treatment of acute renal failure by peritoneal irrigation. *Ann. Surg.*, 1946, 124: 857-878.
85. Flipse, M. E. and Flipse, H. J. Acute renal insufficiency; a review. *J. Florida M. Ass.*, 1950, 37: 149-155.
86. Fox, C. L., Jr., and Ottenberg, R. Acute hemolytic anemia from sulfonamides. *J. Clin. Invest.*, 1941, 20: 593-602.
87. Foy, H., Altmann, A., Barnes, H. D., and Kondi, A. Anuria with special reference to renal failure in blackwater fever, incompatabile transfusions and crush injuries. *Tr. Roy. Soc. Trop. M. Hyg.*, Lond., 1943, 36: 197-238.
88. Foy, H., Gluckman, J., and Kondi, A. Pigment metabolism and renal failure in acute sulphonamide haemolysis resembling blackwater fever. *Tr. R. Soc. Trop. M. Hyg.*, Lond., 1944, 37: 303-319.

89. Frank, H. A., Seligman, A. M., and Fine, J. Treatment of uremia after acute renal failure by peritoneal irrigation. J. Am. M. Ass., 1946, 130: 703-705.
90. French, A. J. Hypersensitivity in the pathogenesis of the histopathologic changes associated with sulfonamide chemotherapy. Am. J. Path., 1946, 22: 679-701. (Data on 76 fatal cases investigated at the Army Institute of Pathology from 1937 until 1943. Renal lesions were found in approximately one half of the cases.)
91. French, A. J. Glomerular ischemia in lower nephron nephrosis and in the hepatorenal syndrome. Am. J. Path., 1949, 25: 770-771.
92. Friedberg, C. K. Congestive heart failure of renal origin; pathogenesis and treatment in 4 cases of carbon tetrachloride nephrosis. Am. J. Med., 1950, 9: 164-174.
93. Fruchaud and Baumann. Syndrome d'insuffisance rénale secondaire des blessés des membres par eboulis, de Bywaters crush injury. Presse méd., 1945, 53: 72-73.
94. Further cases of crush injury; collected by the Medical Research Council Subcommittee on Traumatic Oedema. Brit. M. J., 1941, 1: 449-451. (11 case reports.)
95. Fitcher, P. H. Renal failure complicating muscle crush injuries. U. S. Nav. M. Bull., 1942, 40: 906-908.
96. Gaberman, P. Extra-renal azotemia and lower nephron syndrome. Illinois M. J., 1949, 95: 292-298.
97. Gaberman, P. Extra-renal azotemia and lower nephron syndrome. Q. Chicago M. School, 1947-1948, 2: No. 3, 4-9.
98. Gianascol, A. Anuria in lower nephron nephrosis, its pathogenesis and treatment. ibid. Chic., 1949, 4: 114-117.
99. Gollan, K. R., Lemberg, R., and Money, R. A. Observations upon "crush injury" syndrome and Volkmann's contracture associated with severe brain injury and hyperthermia. Med. J. Australia, 1945, 2: 212-214.
100. Goodman, L. Lower nephron nephrosis following electroconvulsive therapy; report of 2 fatalities. J. Nerv. Ment. Dis., 1950, 112: 130-151.
101. Goodman, L. Lower nephron nephrosis following electric convulsion therapy; report of two fatalities. Arch. Neur. Psychiat., Chic., 1950, 63: 339-341.
102. Goodman, L. Lower nephron nephrosis following electroconvulsive therapy; report of 2 fatalities. J. Nerv. Ment. Dis., 1949, 109: 360-363.

103. Goodpastor, W. E., Levenson, S. M., Fagon, H. J., Lund, C. C., Taylor, C. C. and Taylor, F. H. L. A clinical and pathological study of the kidney in patients with thermal burns. Surg. Gyn. Obst., 1946, 82: 652-669. (A study of 47 patients. At autopsy the kidneys in 18 of the cases showed tubular necrosis and pigment and cellular casts in the tubules.)
104. Goodyear, W. E. and Beard, D. E. The successful treatment of acute renal failure by peritoneal irrigation. J. Am. M. Ass., 1947, 133: 1208-1210.
105. Goormaghtigh, N. The renal arteriolar changes in the anuric crush syndrome. Am. J. Path., 1947, 23: 513-529.
106. Goormaghtigh, N. Vascular and circulatory changes in renal cortex in anuric crush-syndrome. Proc. Soc. Exp. Biol., N. Y., 1945, 59: 303-305.
107. Greenspan, E. M. Hyperchloremic acidosis and nephrocalcinosis; the syndrome of pure lower nephron insufficiency. Arch. Int. M., 1949, 83: 271-291.
108. Guyer, H. B., Lauson, H. D. The syndrome of lower nephron nephrosis following hemorrhagic shock. Am. J. Obst., 1950, 60: 101-108.
109. Harman, J. W. Lower nephron nephrosis. Irish J. M. Sc., 1947, 6: 480-486. (Study made of 1,065 battle casualties, 152 (14.2 per cent) of which showed evidence of lower nephron nephrosis. The syndrome was considered to be a significant cause of death in 70 (6.5 per cent) and incidental in 82 (7.7 per cent).)
110. Harrison, H. E., Bunting, H. and others. The pathogenesis of the renal injury produced in the dog by hemoglobin or methemoglobin. J. Exp. M., 1947, 86: 339-356.
111. Haukohl, R. S. The renal lesion of murine haemobartonellosis compared with lower nephron nephrosis. Fed. Proc., Balt., 1948, 7: 272.
112. Heaton, L. D., Ritchey, S. J. and others. (Lower nephron nephrosis and fat embolism). Bull. U. S. Army M. Dep., 1949, 2: 319-332.
113. Hellwig, C. A. Fatal anuria following sulfadiazine therapy. J. Am. M. Ass., 1942, 119: 561-563.
114. Helper, A. B. Lower nephron nephrosis. Bull. Vancouver M. Ass., 1948-1949, 25: 214-222.
115. Herbut, P. A. Renal changes in secondary shock. Ann. Int. M., 1946, 25: 648-662.

116. Hicks, J. H. Crush syndrome and traumatic uraemia. *Lancet*, Lond., 1948, 1: 286-287.
117. Hicks, M. H., Crutchfield, A. J. and Wood, J. E., Jr. Intestinal lavage in the potassium intoxication of lower nephron nephrosis. *Am. J. Med.*, 1950, 2: 57-62.
118. Hicks, M. H., Crutchfield, A. J. and Wood, J. E. Treatment of lower nephron nephrosis by intestinal lavage. *Virginia M. Month.*, 1950, 77: 395-400.
119. Hinds, E. and Yuile, C. L. The problem of renal failure following transfusion reactions. *McGill M. J.*, 1944, 13: 307-312.
120. Hoffman, I. L. and Grayson, R. R. Carbon tetrachloride nephrosis. Report of patient treated conservatively. *U. S. Armed Forces M. J.*, 1951, 2: 755-761.
121. Hoffman, W. S., and Marshall, D. Management and clinical course of lower nephron nephrosis. *J. Laborat. Clin. M.*, 1948, 33: 1606. (Management of 6 cases).
122. Hoffman, W. S., and Marshall, D. Management of lower nephron nephrosis. *Proc. Inst. M. Chicago*, 1948-1949, 17: 264.
123. Hoffman, W. S., and Marshall, D. Management of lower nephron nephrosis; report of six cases. *Arch. Int. M.*, 1949, 83: 249-270.
124. Hölterhoff, K. Zur Therapie der Sulfonamidnephrose. *Münch. med. Wschr.*, 1950, 92: 372-376.
125. Homan, R. R. and Brown, C. E. Uremia from toxic pigment nephrosis secondary to compression of voluntary muscle; report of fatal case. *U. S. Nav. M. Bull.*, 1945, 45: 156-160.
126. Hsiung, J. C., Yu, S. T. and Chern, J. P. Management of anuria due to lower nephron nephrosis with special reference to renal decapsulation; report of 7 cases. *Clin. M. J.*, 1949, 67: 381-389. In English. (Report of 4 cases).
127. Iseri, T. L., Batchelor, T. M. and others. Electrolyte and renal function studies in lower nephron nephrosis. *J. Clin. Invest.*, 1949, 28: 790.
128. Jenkins, G. D. Lower nephron nephrosis. *J. Iowa M. Soc.*, 1949, 39: 422-424.
129. Jonchere, H., Raoult, A. and Auffret, C. Un nouveau cas d'anurie prolongée après fièvre bilieuse hémoglobínurique. Constations biologiques et anatomopathologiques. *Algérie méd.*, 1948, 51: 230.

130. Journe, H. Le rein la fièvre bilieuse hémoglobínurique. Etude clinique. Conceptions hystophysiologiques et indications thérapeutiques. Trop. Dis. Bull., Lond., 1946, 43: 15-16. (Abstract).
131. Junet, R. Un syndrome clinique nouveau: anoxie ou toxico-anoxie rénale? Rev. méd. Suisse rom., 1949, 69: 143-152.
132. Keefer, C. S. and Clarke, B. E. Clinicopathological conference (Rhode Island Hospital) (Lower nephron nephrosis), Rhode Island M. J., 1947, 30: 731-733. (Probably due to sulphonamides).
133. Keele, C. A., and Slome, D. Renal blood-flow in experimental "crush syndrome." Brit. J. Exp. Path., 1945, 26: 151-159. ("The reduction in renal blood flow following release of ischaemic limbs may be, in part at least, responsible for the renal tubular damage of the 'crush syndrome' type.")
134. Kérebél, R. Les néphroses post-transfusionnelles. 36 p. Paris. Impr. Artistique Moderne, 1940. (Thèse-Paris).
135. Kilduffe, R. A. and DeBakey, M. The blood bank and the technique and therapeutics of transfusions. St. Louis, Mosby, 1942. Mortality in hemolytic reactions following transfusion, p. 493.
136. Kistner, R. W., Assali, N. S. Acute intravascular hemolysis and lower nephron nephrosis complicating eclampsia. Ann. Int. M., 1950, 33: 221-227.
137. Kleitsch, W. P. Queries and minor notes. Lower nephron nephrosis. J. Am. M. Ass., 1951, 145: 774.
138. Koslowski, L. Pathogenese und Therapie des posttraumatischen Nierensyndroms. Chirurg., 1950, 21: 461-463.
139. Krakower, A. H., and Gerson, S. Management of lower nephron nephrosis following transfusion for post-partum hemorrhage. J. M. Soc. N. Jersey, 1950, 47: 72.
140. Kranes, A., Ropes, M. and others. Lower nephron nephrosis. N. England J. M., 1949, 240: 658-662.
141. Kugel, V. H. Management of acute toxic nephrosis. Am. J. Med., 1947, 3: 188-205.
142. Lake, W. W. Lower nephron nephrosis. Mississippi Doctor, 1949-1950, 27: 372-377.
143. Lalich, J. J. The influence of available fluid on the production of experimental hemoglobinuric nephrosis in rabbits. J. Exp. M., Balt., 1947, 87: 157-162.

144. Lalich, J. J. The influence of injections of homologous hemoglobin on the kidneys of normal and dehydrated animals. *J. Exp. M.*, 1947, 86: 153-158.
145. Lalich, J. J. The pathogenesis of experimental hemoglobinuric nephrosis in rabbits, with special reference to the late manifestations. *Am. J. Path.*, 1949, 25: 187-193.
146. Lalich, J. J. and Angevine, D. M. Necrosis of the liver in experimental fatal hemoglobinuric nephrosis. *Am. J. Path.*, 1949, 25: 820.
147. Lalich, J. J. and Schwartz, S. I. The role of aciduria in the development of hemoglobinuric nephrosis in dehydrated rabbits. *J. Exp. M.*, 1950, 92: 11-23.
148. Landsteiner, E. K. and Finch, C. A. Hemoglobinemia accompanying transurethral resection of prostate. *N. England J. M.*, 1947, 237: 310-312.
149. Langdon Burwell, E. and Kinney, T. D. Renal damage following intravascular hemolysis. *N. England J. M.*, 1947, 237: 657-665. (A case of haemoglobinuric nephrosis following massive intravascular haemolysis.)
150. Lee, R. G. Traumatic anuria--case report. *J. Canad. M. Serv.*, 1943-1944, 1: 148-149. ("The clinical picture is that of the so-called "crush syndrome", differing however from the series reported by Bywaters in that anuria occurred on the 9th day.")
151. Lewis, R. F., Gunn, J. A. and Miale, J. B. Renal failure (lower nephron nephrosis) associated with hematoma of the parturient canal. *Urol. Cut. Rev.*, 1949, 53: 705-710.
152. Loustalot, P. Beitrag zur Frage des Crush-Syndromes. *Schweiz. med. Wschr.*, 1950, 80: 1045-1051.
153. Lowbeer, L. Discussion of lower nephron nephrosis. *Proc. Hillcrest Mem. Hosp.*, 1948, 5: 108-114.
154. Lower nephron nephrosis. *Internat. M. Digest*, 1949, 55: 302-308.
155. Lucké, B. Lower nephron nephrosis; the renal lesions of the crush syndrome, of burns, transfusions, and other conditions affecting the lower segments of the nephrons. *Mil. Surgeon*, 1946, 99: 371-396. (Investigation of 538 cases, records and material of which were received at the Army Institute of Pathology. Includes incidence in battle casualties.)
156. Leutscher, J. A., Jr., and Blackman, S. S., Jr. Severe injury to kidneys and brain following sulfathiazole administration; high serum sodium and chloride levels and persistent cerebral damage. *Ann. Int. M.*, 1943, 18: 741-756.

157. Lund, C. C., Green, R. W., Taylor, F. H. L., and Levenson, S. M. Burns, collective review. *Internat. Abst. Surg.*, 1946, 82: 443-478. (Includes renal function and pathology of the kidney).
158. McGee, C. J. Lower nephron nephrosis; carbon tetrachloride poisoning with a report of three cases. *Am. J. M. Sc.*, 1949, 218: 636-645.
159. McGinn, E. J., Miale, J. B. and Frye, J. W. Hemoglobinuric nephrosis in transurethral prostatic resection; treatment by peritoneal lavage. *Urol. Cut. Rev.*, 1948, 52: 509-514.
160. McLaughlin, W. L., Holyoke, J. B. and Bowler, J. P. Oliguria following transurethral prostate resection. *J. Urol.*, Balt., 1947, 58: 47-60.
161. McManus, J. F. A. and Rutledge, G. L., Jr. Lower nephron nephrosis a misnomer for the crush kidney. *Am. J. Path.*, 1949, 25: 771.
162. Maegraith, B. Blackwater fever anuria. *Tr. R. Soc. Trop. M. Hyg.*, Lond., 1944-1945, 38: 1-17; Discussion, 17-23.
163. Maegraith, B. G. The syndrome of renal anoxia in malaria and blackwater fever. *An. Inst. med. trop.*, Lisb., 1947, p. 427-439. (In English). (A review-includes pathological changes in kidneys, pathogenesis, the physiological mechanism involved, and the significance of the theory of renal anoxia in practice).
164. Maegraith, B. G. and Findlay, G. M. Oliguria in blackwater fever. *Lancet*, Lond., 1944, 2: 403-404.
165. Maegraith, B. G., Havard, R. E. and Parsons, D. S. Renal syndrome of wide distribution induced possibly by renal anoxia. *Lancet*, Lond., 1945, 2: 293-296. (Discusses features of the syndrome, conditions in which it occurs, the mode of production and proposes "renal anoxia" as a name).
166. Maitland, A. L. I. Case of crush injury with recovery. *Lancet*, Lond., 1941, 2: 446-448. (Report of a case of severe renal failure, resulting from burial for 15 hours under a bombed building).
167. Maitland, A. L. I. Crush injuries (Letter to Editor). *Brit. M. J.*, 1941, 1: 570.
168. Malamud, N., Haymaker, W. and Custer, R. P. Heat stroke; a clinicopathologic study of 125 fatal cases. *Mil. Surgeon*, 1946, 99: 397-449. (Includes data on nineteen fatal cases of heat stroke in which lower nephron nephrosis was observed).

169. Mallory, T. B. Hemoglobinuric nephrosis in traumatic shock. *Am. J. Clin. Path.*, 1947, 17: 427-443. ("Discussion is based primarily on a group of 60 fatal cases of battle injury, which were clinically and pathologically studied by members of a research team... The observations on this limited group of cases are reinforced by a survey of over 200 similar cases from the files of the Fifteenth Medical General Laboratory.")
170. Mann, W. N. and Smith, S. Haemoglobinuria following administration of plasmoquine. *Tr. Roy. Soc., Trop. M. Hyg., Lond.*, 1943, 37: 151-156. (Case report. The severe renal damage is described and significance of observations discussed.)
171. Mantilla, A. J. Fatal hemolytic reaction following transfusion with incompatible blood. *Ohio M. J.*, 1945, 41: 534-535.
172. Marshall, D. and Hoffman, W. S. The nature of the altered renal function in lower nephron nephrosis. *J. Laborat. Clin. M.*, 1948, 33: 1468.
173. Marshall, D. and Hoffman, W. S. The nature of the altered renal function in lower nephron nephrosis. *J. Laborat. Clin. M.*, 1949, 34: 31-39.
174. Martin, W. B., Coddington, F. L. and Snell, A. M. Carbon tetrachloride poisoning; a report of one case with necropsy and one nonfatal case with clinical laboratory studies. *Ann. Int. M.*, 1946, 25: 488-497.
175. Martineau, P. C. and Hartman, F. W. The renal lesions in extensive cutaneous burns. *J. Am. M. Ass.*, 1947, 134: 429-436.
176. Massachusetts General Hospital. Case records. Case 34. Lower nephron nephrosis. *Am. Practitioner*, 1948, 2: 344-348.
177. Massachusetts General Hospital. Case records. Case 34221. (Carbon tetrachloride intoxication, lower nephron nephrosis, acute central necrosis of liver). *N. England J. M.*, 1948, 238: 776-779.
178. Massé, L., Dax, H. and Georges, J. M. Le crush syndrome en obstétrique et en gynécologie. *J. internat. chir., Brux.*, 1950, 10: 241-253.
179. Mayon-White, R. A case of limb compression ending fatally in uraemia. *Brit. M. J.*, 1941, 1: 434-435. (The micro-pathology resembled that of incompatible transfusion but no blood was given the patient).
180. Miller, M. The kidney in shock. *Bull. Acad. M. Cleveland*, 1947, 32: 7.

181. Mohardt, J. Crush and compression injuries with uremic death. Surgery, 1942, 12: 151-159. (A review of the literature with particular reference to pathologic changes.)
182. Moloney, W. C., Stovall, S. L. and Sprong, D. H. Renal damage due to ischemic muscle necrosis. J. Am. M. Ass., 1946, 131: 1419-1420.
183. Moon, V. H. Renal deficiency associated with shock. J. Am. M. Ass., 1947, 134: 425-428. (Acute tubular disease or tubular nephrosis).
184. Moon, V. H. Hemoglobinuric or tubular nephrosis (acute parenchymatous nephritis). North Carolina M. J., 1948, 2: 238-242.
185. Moon, V. H. Shock, its dynamics, occurrence and management. Philadelphia, Lea and Febiger, 1942. Extrarenal uremia, p. 186-195.
186. Moragues, V. and Wyatt, J. P. Fatal hemoglobinuric nephrosis following intrathecal penicillin in neurosyphilis; a case report. Am. J. Syph., 1950, 34: 177-181.
187. Morison, J. E. Obstruction of the renal tubules myelomatosis and in crush injuries. J. Path. Bact., Lond., 1941, 53: 403-418.
188. Muirhead, E. E. and Fromm, C. S. Severe acute renal insufficiency with recovery. J. Am. M. Ass., 1948, 137: 1378-1382. (Presentation of a case of lower nephron nephrosis. Regimen was "based on the main abnormalities of the three phases of this syndrome.")
189. Muirhead, E. E., Haley, A. E., Haberman, S. and Hill, J. M. Acute renal insufficiency due to incompatible transfusion and other causes, with particular emphasis on management. Blood, 1948, Spec. Issue No. 2, 101-138. (A review of 18 cases of hemolytic transfusion reactions and 10 cases of acute renal insufficiency or lower nephron nephrosis. Includes incidence).
190. Muirhead, E. E. and Hill, J. M. The treatment of acute renal insufficiency. Surg. Gyn. Obst., 1948, 87: 445-456. (The authors believe the high mortality can be ascribed to the management used and to support this stand, they present 3 closely studies cases of severe renal insufficiency.)
191. Muirhead, E. D., Small, A. B., Haley, A. E. and Hill, J. M. Peritoneal irrigation for acute renal damage following incompatible transfusion: A discussion based on three cases. J. Laborat. Clin. M., 1947, 32: 988-1001.
192. Muirhead, E. E., Vanatta, J. and Grollman, A. Acute renal insufficiency; a comparison of the use of an artificial kidney, peritoneal lavage and more conservative measures in the management. Arch. Int. M., 1949, 83: 528-538.

193. Murley, R. S. Acute fulminating haemolytic syndrome, fat necrosis of the liver and acute necrotizing nephrosis following sulphanilamide therapy. J. R. Army M. Corps, 1943, 80: 182-198.
194. Odel, H. M. and Ferris, D. O. Treatment of acute renal insufficiency with peritoneal lavage. Proc. Mayo Clin., 1947, 22: 305-313. (27 cases collected from the literature, in 15 of which the diagnosis indicated possible reversible renal impairment. There were eight recoveries (53 per cent) among the 15.)
195. Odel, H. M. Acute renal failure; important objectives in conservative management. Med. Clin. N. America, 1949, 33: 1007-1025.
196. O'Donnell, W. M. Renal siderosis in hemoglobinuric nephropathy. Am. J. Path., 1950, 26: 899-909. ("Study of 9 fatal cases of hemoglobinuric nephrosis demonstrated that hemosiderin in the kidneys is of constant occurrence and serves as an anatomical criterion in differentiating this form of lower nephron nephrosis from that subsequent to crushing".)
197. O'Donnell, W. M. Postabortal oliguria. J. Am. M. Ass., 1949, 140: 1201-1205. ("In 3 patients who died subsequent to septic abortion the clinical and histopathologic features of lower nephron nephrosis were observed.")
198. Olson, W. H. and Necheles, H. Studies on anuria; effect of infusion fluids and diuretics on the anuria resulting from severe burns. Surg. Gyn. Obst., 1947, 84: 283-291. (Experimental study).
199. Ormond, J. K. and Klinger, M. E. Treatment of the "shock kidney". Arch. Surg., 1949, 59: 398-408.
200. Parsons, C. G. Traumatic uraemia. Brit. M. J., 1945, 1: 180-182.
201. Patey, D. H. and Robertson, J. D. First-aid prophylactic treatment of the compression syndrome ("crush syndrome"). Brit. M. J., 1942, 2: 212-213.
202. Paxson, N. F. and Golub, L. J. The "crush" syndrome in obstetrics and gynecology. Am. J. Obst., 1949, 58: 544-547. (Review of maternal deaths in Philadelphia from Jan. 1, 1930 to Dec. 31, 1946, seven of which showed the "crush syndrome" with lower nephron nephrosis.)
203. Peters, J. T. Oliguria and anuria due to increased intrarenal pressure. Ann. Int. M., 1945, 23: 221-236. (States 34 diseases in which syndrome may appear.)

204. Peters, J. T. Origin and development of a new therapy for crush injury, transfusion kidney and a certain number of other diseases. *Acta med. scand.*, 1945, 123: 90-100. (In English).
205. Peters, H. R. Anuria following hemolytic reaction to blood transfusion; recovery following splanchnic block. *Ann. Int. M.*, 1942, 16: 547-556. (The author states that the mortality from blood transfusions has been variously quoted as 0.2 to 1 per cent. He also adds that it will probably never be possible to accurately gauge the true incidence of fatalities from blood transfusion of incompatible blood since few cases are reported for the understandable reason of the culpability involved--too, at times the clinician fails to recognize the condition and occasionally the pathologist alone makes the true diagnosis. He quotes DeGowin as reporting one recovery in seven and Bordley citing 11 deaths in 17 cases which were collected from the literature.)
206. Phillips, R. A., Dole, V. P., Hamilton, P. B., Emerson, K. Jr., and Van Slyke, D. D. Effects of acute hemorrhagic and traumatic shock on renal functions of dogs. *Am. J. Physiol.*, 1946, 145: 314-336.
207. Price, P. B. and Rizzoli, H. V. That strange dangerous malady--the crush syndrome. *West. J. Surg.* 1949, 57: 569-575. (Experimental study. Observations on interrelated pathologic changes and on cause and effect are discussed. The aim, which was to find a new method of treatment, seems to be successful in dogs.)
208. Prien, E. L. The mechanism of renal complications in sulfonamide therapy. *N. England J. M.*, 1945, 232: 63-68.
209. Pugh, H. L. Posttraumatic urinary suppression--shock as a causative entity; with a review of the RH factor and report of cases. *U. S. Nav. M. Bull.*, 1945, 45: 859-873.
210. Rather, L. J. Acquired acute hemolytic anemia of unknown cause; report of case with fibrinoid arteritis, atypical pneumonia and lower nephron nephrosis. *Arch. Int. M.*, 1948, 82: 578-587.
211. Ravid, J. H. and Chesner, C. Fatal case of hemolytic anemia and nephrotic uremia following sulfapyridine administration. *Am. J. M. Sc.*, 1940, 199: 380-385. (The clinico-pathologic picture in this case report is similar to those described in deaths, after transfusion with incompatible blood, in blackwater fever, paroxysmal hemoglobinuria and poisoning with certain chemicals).
212. Ravin, I. S., Aronson, P. R. and Yules, J. H. Complications of the diuretic phase of lower nephron nephrosis. *N. England J. M.*, 1951, 244: 830-832.

213. Reuter, J. A. Anuria, tubulo interstitial extravasation. 1. Renal capsulotomy. Preliminary report. J. Urol., Balt., 1947, 58: 97-99.
214. Robertson, H. R. Crush syndrome. Canad. M. Ass., J., 1942, 46: 116-120; correction, p. 375. ("A case of 'crush syndrome' is reported and the clinical, laboratory, pathological and therapeutic features are discussed. Etiological possibilities are briefly reviewed.")
215. Robertson, H. R. and Rutherford, P. S. Peritoneal irrigation in the treatment of renal failure due to transfusion reaction. J. Lab. Clin. M., 1947, 32: 982-987.
216. Rosenblum, A. H. Lower nephron nephrosis. Am. J. Dis. Child., 1950, 79: 601.
217. Rystand, D. A. Fatal anuria, the nephrotic syndrome and glomerular nephritis as sequels of the dermatitis of poison oak. Am. J. M., 1948, 5: 548-560. (Report of 7 cases, one of which "was regarded primarily as one of tubular degeneration with necrosis and anuria, not unlike the 'lower nephron nephrosis' syndrome.")
218. S., H. S. Lower nephron nephrosis. Ann. Int. M., 1948, 29: 561-566.
219. Scheinman, L. J. The use of pyrogens in the treatment of lower nephron nephrosis. J. Urol., Balt., 1949, 61: 1003-1009.
220. Selberg, W. Tödliche Hämoglobinurie nach Verschüttung. Deut. med., Wschr., 1942, 68: 561-563.
221. Shen, S. C. and Ham, T. H. Studies on destruction of red blood cells: mechanisms and complications of hemoglobinuria in patients with thermal burns; spherocytosis and increased osmotic fragility of red blood cells. N. England J. M., 1943, 229: 701-713.
222. Shepherd, J. A. Crush or compression of limbs, with impairment of renal function. J. R. Nav. M. Serv., 1942, 28: 314-326.
223. Snyder, H. E. and Culbertson, J. W. Pigment nephropathy in battle casualties. Arch. Surg., 1948, 56: 651-67. (A study of 99 cases of pigment, nephropathy or lower nephron nephrosis in battle casualties).
224. Stock, R. J. Acute urinary suppression; observations in twenty-two patients. Am. J. Med., 1949, 7: 45-55.
225. Strauss, M. B. Acute renal insufficiency due to lower nephron nephrosis. N. England J. M., 1948, 239: 693-700.

226. Strauss, M. B. Further data on lower nephron and mercurial nephrosis. N. England J. M., 1948, 239: 761.
227. Stream, G. J. Peritoneal irrigation in the treatment of acute renal failure. Am. J. Obst., 1950, 59: 482-487. Discussion, p. 487-489. (Report of a case of lower nephron nephrosis).
228. Strumia, M. M. and McGraw, J. J. Blood and plasma transfusions. Phila., F. A. Davis Company, 1949. Hemolytic reactions, p. 374-388; Statistical data on transfusion reactions, p. 406-408.
229. Tomb, J. W. Anuria and anoxia. J. Trop. M. Hyg., Lond., 1942, 45: 125.
230. Tomb, J. W. Cholera and anuria. Tr. R. Soc. Trop. M. Hyg., Lond., 1942, 35: 229-234.
231. U. S. Office of Civilian Defense. Medical Division. Crush syndrome. O. C. D. Publication No. 2212 (May) 1943, p. 17-22.
232. Van Slyke, D. D. The effects of shock on the kidney. Ann. Int. M., 1948, 28: 701-722. (Includes lower nephron nephrosis).
233. Walker, C. A. Crush syndrome. California West M., 1944, 61: 190-191.
234. War medicine and surgery. Compiled under the direction of the Committee on the Survey of War Medicine of the National Health and Medical Research Council. Blast injuries and crush injuries. M. J. Australia, 1943, Suppl. 14, p. 53-56. (Includes the crush syndrome).
235. Wattenberg, C. A. and Coleman, R. C. Sulfathiazole toxic nephrosis and kidney decapsulation. Surgery, 1943, 14: 570-573.
236. Weinstock, H. L. and Nitshe, G. A., Jr. Report of a case of lower nephron nephrosis treated by renal capsulectomy and peritoneal lavage, with recovery; a modification of the method of peritoneal lavage. J. Urol., Balt., 1948, 60: 577-580.
237. Wilner, P. R. Lower nephron nephrosis. Bull. Georgetown Univ. M. Cent., 1949-1950, 3: 43-45.
238. Wilson, R., Jr. and Mangun, G. H. Acute hemolytic anemia in fertilizer workers; new industrial hazard. South M. J., 1943, 36: 212-218. (Presentation of 3 cases of acute hemolytic anemia with hemoglobinuria, probably resulting from arsine gas.)

THE UNIVERSITY OF CHICAGO

DEPARTMENT OF THE HISTORY OF ARTS
AND ARCHITECTURE

THE HISTORY OF ARTS
AND ARCHITECTURE

THE HISTORY OF ARTS
AND ARCHITECTURE

THE HISTORY OF ARTS
AND ARCHITECTURE

THE HISTORY OF ARTS
AND ARCHITECTURE

THE HISTORY OF ARTS
AND ARCHITECTURE

THE HISTORY OF ARTS
AND ARCHITECTURE

THE HISTORY OF ARTS
AND ARCHITECTURE

THE HISTORY OF ARTS
AND ARCHITECTURE

THE HISTORY OF ARTS
AND ARCHITECTURE

THE HISTORY OF ARTS
AND ARCHITECTURE

THE HISTORY OF ARTS
AND ARCHITECTURE

239. Woodruff, L. M. and Firminger, H. I. Hemoglobinemia and hemoglobinuric nephrosis complicating transurethral resection of prostate. J. Urol., 1949, 62: 168-177.
240. Wyatt, J. P., and Goldenberg, H. Lower nephron nephrosis associated with massive adrenal infarction. Am. J. Clin. Path., 1948, 18: 653-658.
241. Yater, W. M. and Nunez, B. E. Anuria caused by transfusion reactions due to anti-Rh agglutinins in pregnant women. Report of two cases. Med. Ann. District of Columbia, 1943, 12: 178-184, 212.
242. Young, J. Renal failure after utero-placental damage. Brit. M. J., 1942, 2: 715-718. (Toxic theory of hemoglobinuric nephrosis).
243. Yuille, C. L., Gold, M. A. and Hinds, E. G. Hemoglobin precipitation in renal tubules; a study of its causes and effects. J. Exp. M., 1945, 82: 361-374. (Observations of an experimentally produced pathological lesion, resembling that of the "transfusion kidney.")

